UT393+ Laser Distance Meters

UT390B+ , UT391+ , UT391A+,UT393+ Laser Distance Meters: Designed with versatile functions and especially for needs for high-precision distance measurements; Lightweight and very simple, instant, reliable to measure, a tool that get your work done significantly easier; Remarkable accuracy and fast measurement speed; Laser intensity indication; Innovative ergonomic structure design; Smart volume and area calculations based on measured Length, width and height, no need of manual operation any more.

Widely used in household & engineering decoration, construction, real estate, gardening, city planning, water project monitoring, etc; a perfect substitute of traditional measurement tools(tape, ruler).



Technical Specifications:

Specifications	
Model	UT393+
Accuracy (m)	±2mm
Measuring Distance (m)	100m
Unit	M/in/ft
Laser Class	635nm, < 1mw,∏ class
Features	
Continuous Measurement	√
Area/Volumn Calculation	√
Pythagoras Theorem Calculation	√
Add/Subtract	√
Length Add/Subtract	√
Area Add/Subtract	√
Volumn Add/Subtract	√
MAX/MIN	√
Lofting test	
Delay test	
Extend tail-board	
Automatic calibration	\checkmark
Data Storage	100
Measurement times per batteries	8000

Auto laser off V Buzzer Indicate V Battery Indicator V Levelling instrument V Auto Power Off V Storage Temperature -20°C ~ 60°C Operate Temperature: 0°C ~ 40°C Relative Humidity RH85% General Characteristics Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Suction,English Manual ,Batteries,card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm Standard Carton Gross Weight 16.4kg		
Battery Indicator Levelling instrument Auto Power Off Storage Temperature -20°C ~ 60°C Operate Temperature: 0°C ~ 40°C Relative Humidity RH85% General Characteristics Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Standard Quantity Per Carton Standard Carton Measurement 535*505*395mm	Auto laser off	$\sqrt{}$
Levelling instrument Auto Power Off ✓ Storage Temperature -20°C ~ 60°C Operate Temperature: 0°C ~ 40°C Relative Humidity RH85% General Characteristics Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Buzzer Indicate	\checkmark
Auto Power Off Storage Temperature -20°C ~ 60°C Operate Temperature: 0°C ~ 40°C Relative Humidity RH85% General Characteristics Power AAA 1.5∨ x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Battery Indicator	$\sqrt{}$
Storage Temperature -20°C ~ 60°C Operate Temperature: 0°C ~ 40°C Relative Humidity RH85% General Characteristics Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Suction,English Manual ,Batteries,card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Levelling instrument	$\sqrt{}$
Operate Temperature: Relative Humidity RH85% General Characteristics Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Standard Quantity Per Carton Standard Carton Measurement 535*505*395mm	Auto Power Off	√
Relative Humidity General Characteristics Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Standard Quantity Per Carton 60 PCS Standard Carton Measurement Standard Carton Measurement RH85% AAA 1.5V x 2 Red and Gray Red and Gray Standard Gray Standard Gray AAA 1.5V x 2 Red and Gray Standard Gray AAA 1.5V x 2 Red and Gray Standard Gray AAA 1.5V x 2 Red and Gray Standard Gray AAA 1.5V x 2 Red and Gray Standard Gray AAA 1.5V x 2 Red and Gray Standard Gray AAA 1.5V x 2 Red and Gray AAA 1.5V x 2 Red and Gray Standard Gray AAA 1.5V x 2 AAA 1.	Storage Temperature	-20℃ ~ 60℃
General CharacteristicsPowerAAA 1.5V x 2Product ColorRed and GrayProduct Net Weight112gProduct Size123mm*50mm*28mmStandard AccessoriesReflector panelStandard Individual PackagingSuction,English Manual ,Batteries,cardStandard Quantity Per Carton60 PCSStandard Carton Measurement535*505*395mm	Operate Temperature:	0°C ~ 40°C
Power AAA 1.5V x 2 Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Suction,English Manual ,Batteries,card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Relative Humidity	RH85%
Product Color Red and Gray Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Suction,English Manual ,Batteries,card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	General Characteristics	
Product Net Weight 112g Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Suction,English Manual ,Batteries,card Standard Quantity Per Carton Standard Carton Measurement 535*505*395mm	Power	AAA 1.5V x 2
Product Size 123mm*50mm*28mm Standard Accessories Reflector panel Standard Individual Packaging Suction,English Manual ,Batteries,card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Product Color	Red and Gray
Standard Accessories Reflector panel Standard Individual Packaging Suction, English Manual , Batteries, card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Product Net Weight	112g
Standard Individual Packaging Suction, English Manual , Batteries, card Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Product Size	123mm*50mm*28mm
Standard Quantity Per Carton 60 PCS Standard Carton Measurement 535*505*395mm	Standard Accessories	Reflector panel
Standard Carton Measurement 535*505*395mm	Standard Individual Packaging	Suction,English Manual ,Batteries,card
Standard Carton Gross Weight 16.4kg	Standard Quantity Per Carton	60 PCS